6702W

MINI BM WHITE MONITOR, VIP

VIP

Colour monitor with handset and audio induction loop for ViP system. 4.3" 16/9 colour screen. Resolution 480x272 pixels. Allows backlighting intensity, audio volume and ringtone volume adjustment. Equipped as standard with 4 soft touch buttons: lock-release with door open indicator LED, privacy function button with indicator LED, 2 programmable buttons. With 3 inputs that can be programmed for various functions. The optional accessory Art. 6735W has a further 5 programmable buttons (in addition to the lock-release and privacy keys) which can also be used for menu navigation. Can also be used in standard PoE systems. The ringtone and the video memory function with absent message can be customised. H.264 video format. Dimensions: 175x160x22 mm

AWARDS

DESIGN MILANO

GOOD DESIGN

The technical specifications are subject to variations without warning.

6702W

MINI BM WHITE MONITOR, VIP

GENERAL DATA

Product height (inch):	6.3
Product width (inch):	6.89
Product depth (inch):	0.87
Product weight (oz):	1.43
Product color:	White RAL9003
Material:	Plastic, ABS
Wall mounting:	Yes
Desk base-mounted:	Yes, with a dedicated accessory

COMPATIBLE SYSTEMS

ViP:	Yes

DISPLAY FEATURES

Size (inches):	4.3
Aspect Ratio:	16:9
Resolution (pixels):	480x272
OSD menu:	Optional with art. 6735W

AUDIO FEATURES

Type:	Handset
Induction loop function:	Yes
Microphone:	6mm (ø), omnidirectional
Loudspeaker:	40 (ø) x 5.1 (H) mm, 100 ohm, 0.25W

ELECTRICAL CHARACTERISTICS

Type of power supply:	PoE
PoE power supply:	Standard IEEE 802.3af, Comelit PoE (56VDC)
Stand-by absorption (W):	2.4
Maximum absorption (W):	4.8

HARDWARE FEATURES

Type of buttons:	Capacitive
Service buttons:	Lock-release, Silent (Privacy), Menu, Door open
No. of programmable buttons for additional functions:	2 (5 with accessory art. 6735W)
Terminals:	IN1 IN2 IN3 GND
Removable terminals:	Yes
Number of inputs:	3

The technical specifications are subject to variations without warning.

6702W

MINI BM WHITE MONITOR, VIP

HARDWARE FEATURES

Communication ports:	RJ45 (Ethernet)

SETTINGS

Loudspeaker volume:	Yes
Ringtone volume:	Yes
Screen backlight:	Yes

NETWORK AND COMMUNICATION PROTOCOLS

Type of LAN network:	Ethernet 10/100 Mbit/s, IEEE 802.3, IEEE 802.3u (Fast Ethernet)
IP address assignment:	Auto IP, DHCP, Static

ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection degree:	IP30
Operating temperature (°K):	41 ÷ 104
Operating humidity (RH max - %):	25 ÷ 75
Environmental class:	I
Compliance and Certifications:	RoHS II - 2011/65/UE (EN 50581:2012), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

MAIN FUNCTIONS

Door opener:	Yes
Self-ignition:	Yes
Intercom calls:	Yes
Actuator control:	Yes
CPS call:	Yes
Outside door call input:	Yes
"Silent" mode (Privacy):	Yes
Video memory:	Yes
Door opening on call (Doctor):	Yes
Door open signaling:	Yes
Call forwarding:	Yes
Multiple address:	Yes
Customizable ringtone:	Yes
Date/time display:	Yes
Sending alarm calls:	Yes
Sending e-mail on event:	Yes
Message for absent:	Yes

The technical specifications are subject to variations without warning.

6702W

MINI BM WHITE MONITOR, VIP

MAIN FUNCTIONS

Receiving ViP messages:	Yes
ViP anti-theft function:	Yes

The technical specifications are subject to variations without warning.

6702W

MINI BM WHITE MONITOR, VIP

ACCESSORIES



6735W Add.butt. kit for Mini monitor w/handset, ViP

Accessory for conversion of Mini ViP series monitors Art 6702W into 7-button versions. Includes a 7-button faceplate and an electronic module for button activation, which can be installed quickly without the need to open the monitor casing.

6711WS MINI HANDSET SMALL ADAPTER PLAQUE

Mounting accessory for Mini Monitor when replacing Magis or Genius door entry monitors. White. Dimensions: 230x220x3mm.

6719V Access. cables external passage for MINI HS. ViP

Wall bracket for ViP system Mini monitor with handset; allows through-routing of external cables.

6712V DESK BASE FOR MINI MONITOR WITH HANDSET. VIP

Desk base for desktop conversion of ViP system Mini monitor with handset. Dimensions: 105x70x110mm.

The technical specifications are subject to variations without warning.