

Skärmar & tillbehör



Välkommen!

ADI är den marknadsledande distributören av brand- och säkerhetsprodukter och har bedrivit verksamhet i över 30 år.

Vi säljer allt från video- till brandsäkerhetslösningar med Nordens bredaste urval av säkerhetsprodukter och projektjänster.

Oavsett hur dina kunders krav ser ut kan vi alltid erbjuda en lösning.

130+

Varumärken

10000+

Produkter



Fördel WBOX!

Vi är stolta över att kunna presentera **WBOX Technologies** & **UltraTech Power Products**.

Sortimentet erbjuder ett brett urval av 4K UHD-, Full HD- och HD-skärmar och tillbehör. Produkterna från WBOX Technologies är utformade för att tillhandahålla bästa kvalitet och prestanda för systemintegratörer och användare till en överkomlig projektkostnad.

Varje WBOX- och UltraTech-produkt levereras med tillverkarens garanti som standard.

WARRANTY
1 YEAR

WARRANTY
2 YEARS

WARRANTY
3 YEARS

Limited
Lifetime

Tillverkarens garanti i 1, 2 eller 3 år från tillverkningsdatum.

Tillverkarens garanti för produkten så länge som den fortfarande tillverkas, baserat på inköpsdatum.

Utvecklade för installatörer och slutanvändare

Ring

010-130-24 00

Webshop

www.adiglobal.se

Email

info.se@adiglobal.com

order.se@adiglobal.com

App

Sök: ADI SE



ENDAST HOS
ADI
a resideo company

4K UHD CCTV Monitors

Experience True 4K CCTV security monitoring. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with HDMI, VGA, DVI, BNC and Audio. All WBOX monitors come with 3 years manufacturers warranty as standard.



WARRANTY
3 YEARS



4K 28" LED Monitor

- 28" 4K UHD LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Weight 10.6kg

WBXML4K28

2 759:-

4K 43" LED Monitor

- 43" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Weight 11kg

WBXML4K43

4 496:-

HDMI Cables - 4K 60Hz

Limited
Lifetime

HDMI 2.0V CABLES

**SUITABLE FOR ALL WBOX
24/7 SECURITY MONITORS**

HDMI 2.0V

- HDMI to HDMI cable
- Black
- Gold plated
- 1 to 5M cable construction 30 AWG
- 10M cable construction 28 & 30 AWG
- 15M cable construction 26 & 28 AWG



1m

WBXHDMI01V2

35:-

2m

WBXHDMI02V2

45:-

3m

WBXHDMI03V2

55:-

5m

WBXHDMI05V2

69:-

10m

WBXHDMI10V2

185:-

15m

WBXHDMI15V2

349:-

4K UHD CCTV Monitors



WARRANTY
3 YEARS



4K 49" LED Monitor

- 49" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Weight 14.5kg

WBXML4K49

5 126:-

4K 55" UHD Monitor

- 55" UHD 4K LED screen
- 3840 x 2160 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, USB, VGA, DVI, BNC & Audio inputs
- Weight 19.2kg

WBXML4K55

5 949:-

HDMI Converter

Limited
Lifetime

Display port to HDMI Converter

- Support Display Port v1.1, HDMI V1.4b
- Support Display Port signal to HDMI signal conversion
- Support 20pin Display Port interface
- Support up to 10.8Gbps video bandwidth
- Max support QXGA (1920*1200) resolution output
- Supports 4K
- No external power supply required



WBXDPHDMI4

93:-

For brackets see page 8



Full HD LED CCTV Monitors

Experience Full HD CCTV security monitoring. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with BNC, HDMI, VGA, DVI and Audio. All WBOX monitors come with 3 years manufacturers warranty as standard.

WARRANTY
3 YEARS

19.5" Full HD LED Monitor

- 19.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 4kg

WBXML20

1 185:-



21.5" Full HD LED Monitor

- 21.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 4.5kg

WBXML22

1 525:-



23.5" Full HD LED Monitor

- 23.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 5.4kg

WBXML24

1 779:-



32" Full HD LED Monitor

- 31.5" Full HD LED screen
- 1920 x 1080P screen resolution
- Designed specifically for 24/7 monitoring
- BNC, HDMI, VGA & Audio inputs
- Weight 12.7kg

WBXML32

2 725:-



HD / FHD CCTV Monitors

HD CCTV Monitors

Experience HD/FHD security monitoring. Designed specifically to run for 24 hours a day, 7 days a week, 365 days a year and compatible with HDMI, VGA, DVI and Audio. All WBOX monitors come with 3 years manufacturers warranty as standard.



18.5" HD LED Monitor

- 18.5" HD LED screen
- 1366 x 768 screen resolution
- Designed specifically for 24/7 monitoring
- HDMI, VGA & Audio inputs
- Weight: 3.5kg

WBXMP19

1 095:-



21.5" FHD LED Monitor

- 21.5" HD LED screen
- 1920x1080P Full HD Resolution
- Designed specifically for 24/7 monitoring
- HDMI, VGA & Audio inputs
- Weight 4.5kg

WBXMP22

1 235:-

WARRANTY
3 YEARS

HDMI Cables - 4K 60Hz

HDMI 2.0V CABLES SUITABLE FOR ALL WBOX

HDMI 2.0V

- HDMI to HDMI cable
- Black
- Gold plated
- 1 to 5M cable construction 30 AWG
- 10M cable construction 28 & 30 AWG
- 15M cable construction 26 & 28 AWG



Limited
Lifetime

1m
WBXHDMI01V2
35:-

2m
WBXHDMI02V2
45:-

3m
WBXHDMI03V2
55:-

5m
WBXHDMI05V2
69:-

10m
WBXHDMI10V2
185:-

15m
WBXHDMI15V2
349:-

Brackets



Monitor Bracket 13-30" Tilt 100*100

- Wall mount monitor bracket
- Tilt only action
- Tilt: 0 to -12 degree
- Vesa mount: 100x100mm (max)
- Load capacity: 15kg (max)
- Black

WBXMB1330TM

95:-



Monitor Bracket 13"-42" Swivel Single Tilt 100*100

- Wall mount monitor bracket
- Single arm tilt and swivel
- Tilt: +15 to -15 degree
- Vesa mount: 200x200mm (max)
- Load capacity: 25kg (max)
- Black

WBXMB1332TSS

229:-

Limited
Lifetime



Monitor Bracket 13"-42" Swivel Double Tilt 200*200

- Wall mount monitor bracket
- Double arm tilt and swivel
- Tilt: +15 to -15 degree
- Vesa mount: 200x200mm (max)
- Load capacity: 25kg (max)
- Black

WBXMB1342TSD

355:-



Monitor Bracket 32"-65" Tilt 400*400

- Wall mount monitor bracket
- Monitor size up to 65"
- Tilt: +8 to -12 degree
- Vesa mount: 400x400mm (max)
- Load capacity: 50 kg (max)
- Black

WBXMB3265TM

275:-

Network Switches

Network Switch



9 Port Fast Gigabit Ethernet POE Switch

- 8 x 10/100/1000 Mbps PoE ports
- 1 x 10/100/1000 Mbps port
- Easy set-up plug and play
- 130W PoE budget
- Port status LED indicator

0E-9P8POEGIG-EU

895:-



8 Port Fast Gigabit Ethernet POE Switch

- 4 x 10/100/1000 Mbps PoE ports
- 4 x 10/100/1000 Mbps ports
- Easy set-up plug and play
- 62W PoE budget
- Port status LED indicator

0E-8P4POEGIG-EU

468:-



8 Port Fast Ethernet PoE Switch

- 4 x 10/100 Mbps PoE Ports
- 4 x 10/100 Mbps Ports
- Easy Set-up: Plug and Play
- 62W PoE Budget
- Switching Capacity: 1.6 Gbps
- Port/PoE Status: LED
- Energy Efficient Switch

0E-8P65W4POE-EU

359:-

Limited
Lifetime



8 Port Gigabit Unmanaged Ethernet Switch

- 8 x 10/100/1000 Mbps
- Easy Set-up: Plug and Play
- Switching Capacity: 16 Gbps
- Port Status: LED Indicator
- Energy Efficient Switch

0E-8PGIGUN-EU

248:-



5 Port Gigabit Unmanaged Ethernet Switch

- 5 x 10/100/1000 Mbps
- Easy set-up plug and play
- Switching capacity 10Gbps
- Port status LED indicator

0E-5PGIGUN-EU

195:-

CAT5e Cables 0.5m - 5m

Limited
Lifetime

Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: blue
- Anti-Snag



0.5m (Pack of 5) WBXC5EBL0.5MP5 32:-	1m (Pack of 5) WBXC5EBL1MP5 36:-	2m (Pack of 5) WBXC5EBL2MP5 65:-	3m (Single) WBXC5EBL3MP1 18:-	5m (Single) WBXC5EBL5MP1 21:-
---	---	---	--	--

Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: red
- Anti-Snag



0.5m (Pack of 5) WBXC5ERD0.5MP5 32:-	1m (Pack of 5) WBXC5ERD1MP5 36:-	2m (Pack of 5) WBXC5ERD2MP5 65:-	3m (Single) WBXC5ERD3MP1 18:-	5m (Single) WBXC5ERD5MP1 21:-
---	---	---	--	--

Cat5e RJ45 Patch Cable

- Cat5e
- RJ45 patch cable
- Colour: grey
- Anti-Snag



0.5m (Pack of 5) WBXC5EGY0.5MP5 32:-	1m (Pack of 5) WBXC5EGY1MP5 36:-	2m (Pack of 5) WBXC5EGY2MP5 65:-	3m (Single) WBXC5EGY3MP1 18:-	5m (Single) WBXC5EGY5MP1 21:-
---	---	---	--	--

CAT6e Patch Cables

CAT6e Cables 0.5m - 5m

Limited
Lifetime

Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: blue
- Anti-Snag



0.5m (Pack of 5) WBXC6EBL0.5MP5 59:-	1m (Pack of 5) WBXC6EBL1MP5 65:-	2m (Pack of 5) WBXC6EBL2MP5 93:-	3m (Single) WBXC6EBL3MP1 28:-	5m (Single) WBXC6EBL5MP1 38:-
--	--	--	-------------------------------------	-------------------------------------

Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: red
- Anti-Snag



0.5m (Pack of 5) WBXC6ERD0.5MP5 59:-	1m (Pack of 5) WBXC6ERD1MP5 65:-	2m (Pack of 5) WBXC6ERD2MP5 93:-	3m (Single) WBXC6ERD3MP1 28:-	5m (Single) WBXC6ERD5MP1 38:-
--	--	--	-------------------------------------	-------------------------------------

Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: grey
- Anti-Snag



0.5m (Pack of 5) WBXC6EGY0.5MP5 59:-	1m (Pack of 5) WBXC6EGY1MP5 65:-	2m (Pack of 5) WBXC6EGY2MP5 93:-	3m (Single) WBXC6EGY3MP1 28:-	5m (Single) WBXC6EGY5MP1 38:-
--	--	--	-------------------------------------	-------------------------------------

CAT6e Cables 0.5m - 5m

Limited
Lifetime

Cat6e RJ45 Patch Cable

- Cat6e
- RJ45 patch cable
- Colour: Green
- Anti-Snag




0.5m (Pack of 5) WBXC6EGN0.5MP5	1m (Pack of 5) WBXC6EGN1MP5	2m (Pack of 5) WBXC6EGN2MP5	3m (Single) WBXC6EGN3MP1	5m (Single) WBXC6EGN5MP1
59:-	65:-	93:-	28:-	38:-

CAT5 General Purpose

Limited
Lifetime

Cat5e

- Outer sheath: PVC, PE
- Colour: Grey, Black
- 50m - 100m Reel
- Pure Copper



Cat5e Cable 50m
Internal Grade
WBXC5EGY050MPVC
205:-

Cat5e Cable 100m
Internal Grade
WBXC5EGY100MPVC
392:-



Cat5e Cable 50m
External Grade
WBXC5EBK050MPE
241:-


Cat5e Cable 100m
External Grade
WBXC5EBK100MPE
453:-

CAT6 General Purpose

Limited
Lifetime

Cat6e

- Outer sheath: PVC, PE
- Colour: Grey, Black
- 50m - 100m Reel
- Pure Copper



Cat6e Cable 50m
Internal Grade
WBXC6EGY050MPVC
298:-

Cat6e Cable 100m
Internal Grade
WBXC6EGY100MPVC
508:-



Cat5e Cable 50m
External Grade
WBXC6EBK050MPE
324:-

Cat5e Cable 100m
External Grade
WBXC6EBK100MPE
561:-

CAT 5 & 6 Patch Cables Accessories & Tools

CAT5

RJ45 Crimp connector

- Suitable for Cat5e cable
- 10 connectors per pack

WBXC5ERJ45P10



22:-

RJ45 Crimp connector

- Suitable for Cat5e cable
- 100 connectors per pack

WBXC5ERJ45P100



119:-

Limited
Lifetime

CAT6

RJ45 Crimp connector

- Suitable for Cat6e cable
- 10 connectors per pack

WBXC6ERJ45P10



31:-

RJ45 Crimp connector

- Suitable for Cat6e cable
- 100 connectors per pack

WBXC6ERJ45P100



171:-

Limited
Lifetime

Accessories

RJ45 CAT5/6e Coupler Each

- RJ45 coupler
- Cat5e & Cat6e

WBXCATCOUP



8:-

RJ45 CAT5/6e Strain Boots 100 Pack

- RJ45 strain boot
- Cat5e/Cat6e

WBXCATSBP100



141:-

RJ45 CAT5/6e Strain Boots 10 Pack

- RJ45 strain boot
- Cat5e/Cat6e

WBXCATSBP10



15:-

Tools

WARRANTY
1 YEAR



RJ45 Crimp Tool

- RJ crimp tool
- RJ45/RJ12/RJ11
- With cable cutter & stripper

WBXRJ45CRIMP 242:-



RJ45 Tester

- 2 Piece set
- Check continuity of RJ11 & RJ45 cable quickly
- LED status display
- Slow and fast test switch
- Simple to use

WBXCATBTESER 129:-

100m USB Extender

- Compliant with USB 2.0 specification in short distance(<10meters);
- Provides support for any full-speed (12 Mb/s) or low-speed (1.5 Mb/s) USB device;
- Some low power low-speed USB devices can work with cable up 200 meters.
- Embedded USB 1.1 Transceivers prevents signal loss;
- Downstream connector: Female, Type "B", USB Approved Connector;
- Up stream connector: Male, Type "A", USB Approved Connect.



WBXUSBE1

272:-

HDMI Splitter x2

- Supports 3D video format
- HDR 4K*2K
- HDMI 1.4 HDCP1.4
- RGB Format



WBXHDMIS2

245:-

WARRANTY
3 YEAR

HDMI Splitter x4

- Supports 3D video format
- HDR 4K*2K
- HDMI 1.4 HDCP1.4
- RGB Format



WBXHDMIS4

354:-

60m HDMI Extender

- Support HDMI 1.4a
- Support 3D
- Support highest video resolution 1080p/60Hz
- Support 1.65Gbps data rate and tmds clock up to 165MHz
- Support 8/10/12 bit deep color
- Support AWG26 HDMI standard cable, input up to 15m, output up to 20m
- Signal transmission: By using single cat-5e or cat-6 (recommended cable instead of HDMI Cable it can extend the distance up to 60m between TX and RX.
- No loss of quality
- Need 5V/1A power supply



WBXHDME6IR

559:-

HD Video Balun

Limited
Lifetime



HD Video Balun, Dual Pack 1 X PIG 1 X STD No Surge 5 MP

- 720/960P/1080P, 3MP/4MP/5MP
- HD-CVI/AHD/TVI/CVBS
- Pack: pair

WBXHDBP1

35:-

**NEW
@ADI**



HD Video Balun with Power over Coax

- HD Balun
- Power over Coax
- TVI, CVI, AHD & CVBS
- 4k Resolution

WBXHDBPCB1

75:-

HD Video Balun with Power

- HD Balun
- UTP
- Power & Video
- Up to 200m, 12V Dc

WBXHDBPV1

179:-

WARRANTY
3 YEARS



HD Ground Loop Isolator

- Compatible with all HD-TVI, HD-CVI, AHD & CVBS analog cameras
- BNC male to BNC female with mini 20cm RG 59 coaxial pigtail lead on both sides.
- Passive, No power supply required
- Prevents video-signal distortion caused by video ground loops

WBXGLIHD 142:-

Coaxial Cable Tools And Accessories

Coax Cable

Limited
Lifetime



RG59 Shotgun CU 100m Drum

- RG59
- + 2 core for low voltage
- 100m drum
- Black

WBXRG59100M2C

488:-



**NEW
@ADI**

RG59 CU 100m Drum

- RG59
- 100m drum
- Black

WBXRG59B1

217:-

Tools

WARRANTY
1 YEAR



RG59 3 Blade Stripper

- Coaxial cable stripper
- For RG58/RG59/RG6
- 3 blades

WBXRG59STIP

123:-



RG59 Crimp Tool

- RG59 BNC crimp tool

WBXBNCRIMP

275:-

Accessories



BNC Crimp Connector 10 Pack

- RG59 BNC male crimp connector
- 10 pack

WBXBNCM59P10

39:-



BNC Crimp Connector 50 Pack

- RG59 BNC male crimp connector
- 50 pack

WBXBNCM59P50

184:-

Limited
Lifetime



BNC Strain Boot 10 Pack

- RG59 BNC strain boot
- 10 pack
- Black

WBXBNC SRP10

16:-



BNC Coupler 10 Pack

- RG59 female - female connector
- 10 pack

WBXBNCFFCP10

39:-



BNC T M-F 10 Pack

- RG59 BNC male - female T piece connector
- 10 pack

WBXBNCM22FTP10

74:-

Intrusion Power Supplies & Batteries

Power Supply



13.8V 1A Switch Mode PSU in Metal Box

- Boxed power supply
- 13.8V DC output
- 1 Amp
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 200 x 240 x 75mm
- Battery Compartment - 190 x 130 x 70mm

WBXPSU1A12VT

205:-

13.8V 2A Switch Mode PSU in Metal Box

- Boxed power supply
- 13.8V DC output
- 2 Amp
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 200 x 240 x 75mm
- Battery Compartment - 190 x 130 x 70mm

WBXPSU2A12VT

345:-

13.8V 3A Switch Mode PSU in Metal Box

- Boxed power supply
- 13.8V DC output
- 3 Amp
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 200 x 240 x 75mm
- Battery Compartment - 190 x 130 x 70mm

WBXPSU3A12VT

389:-



13.8V 5A Switch Mode PSU in Metal Box

- Boxed power supply
- 13.8V DC output
- 5 Amp
- Tamper (Lid & Rear)
- Mains, Battery, Output & Fault LED
- Enclosure - 360 x 330 x 90mm
- Battery Compartment - 350 x 220 x 80mm

WBXPSU5A12VT

679:-



Batteries

Battery AA Alkaline Pack 12

- Double blister card design
- Child resistant packaging
- Recommended to store at room temperature

WBX0E-AA12PK

33:-



Battery AAA Alkaline Pack 12

- Double blister card design
- Child resistant packaging
- Recommended to store at room temperature

WBX0E-AAA12PK

29:-



Battery SLA, 12V, 2.3Ah

- T1 Terminal
- L70 x W48 x H98mm

UT-1221

69:-



Battery SLA, 12V, 7Ah

- T1 Terminal
- L151 x W65 x H94mm

UT-1270

101:-



Battery SLA, 12V, 12Ah

- T2 Terminal
- L151 x W98 x H95mm

UT-12120

200:-



Battery SLA, 12V, 18Ah

- M5 Terminal
- L182 x W77 x H168mm

UT-121805

289:-



CCTV Power Supplies & IP65 Junction Boxes

12V 1A, 2A, 3.5A & 5A Inline Power Supplies

- Inline power supply
- 12V DC output
- 1.2m DC cable
- 5.5*2.1mm plug

WARRANTY
3 YEARS



1 Amp
WBXIL10EU 95:-



2 Amp
WBXIL20EU 119:-



3.5 Amp
WBXIL35EU 149:-



5 Amp
WBXIL50EU 171:-

NEW
@ADI

CCTV Power Supplies Accessories

Female DC to 4 way DC Splitter

- DC Plug with 5.5*2.1mm connector
- Black PVC
- Nickel plated

Limited
Lifetime

WBXPSUSP4 24:-



CCTV Power Supplies

- CCTV Boxed Power Supply
- Multi Output, Metal enclosure
- Upto 4 way
- Max 5Amp

WBXPSUC12V5A4 365:-

- CCTV Boxed Power Supply
- Multi Output, Metal enclosure
- Upto 9 way
- Max 10Amp

WBXPSUC12V10A9 559:-

- CCTV Boxed Power Supply
- Multi Output, Metal enclosure
- Upto 16 way
- Max 16Amp

WBXPSUC12V16A16 729:-



NEW
@ADI

IP65 Junction Boxes



- IP65 rating
- Material ABS
- Halogen-Free
- Insulation class II
(according to IEC 61140)
- Grey / Ral 7035

WBXJB204
100 x 100 x 50mm

48:-

WBXJB206
150 x 110 x 70mm

76:-

WBXJB207
190 x 140 x 70mm

135:-

WBXJB208
240 x 190 x 90mm

215:-

WBXJB209
300 x 220 x 120mm

395:-

WBXJB210
80 x 300 x 120mm

599:-

Enclosures / Cabinets

ENCLOSURE M20*1.5 access gland 6-12mm ca

- IP Gland
- Pack of 3
- M20*1.5
- 6-12mm Cable Access

WBXGL6-12M20P3 24:-



ENCLOSURE M20*1.5 access gland 6-12mm ca

- IP Gland
- Pack of 5
- M20*1.5
- 6-12mm Cable Access

WBXGL6-12M20P5 39:-



Tools & Hardware

Access Power Supplies

Multi Controller Power Supply

- Selectable 12VDC or 25VAC w way output
- Full rated 12VDC/8A or 24DC/4A to load
- Reverse better connection protection
- Complete with mounting posts
- Dimensions: W405 x H506 x D85mm

WBXACCESSPSU12248A 1 529:-



**WARRANTY
3 YEARS**

Tools

- Durable rubber housing finish
- Magnetic swivel clip
- 3 x AAA batteries included

COB LED Pocket Mini Work Light

**WARRANTY
2 YEARS**

0E-MINILIGHT 69,-



Accessories

Tape PVC 19mm x 20m

- Insulation tape
- 1pc
- PVC
- 19mm x 20m



**White
WBXTAPEW 13:-**



**Black
WBXTAPEB 13:-**

HFC Free Gas Air Duster

- HFC Free
- 400ml

WBXAIRCAN 229:-



Cable Ties 200mm x 4.8mm (Pack of 100)

- UV protected
- 200 x 4.8mm
- Pack of 100



**Black
WBXCT200B
Natural
WBXCT200N**

28:-

Cable Ties 300mm x 4.8mm (Pack of 100)

- UV protected
- 300 x 4.8mm
- Pack of 100

**Limited
Lifetime**



**Black
WBXCT300B
Natural
WBXCT300N**

36:-

Stainless Steel Cable Ties (Pack of 100)

- Stainless Steel
- Pack of 100



**200 x 4.6mm
WBXCT200SS 95:-
400 x 4.6mm
WBXCT400SS 163:-**

Test Monitor

- Supports Analogue, IPC(H.264/ H.265/ 4K), AHD 3.0, TVI 3.0,CVI 3.0 Camera
- Step by step IPC test, quickly locate failure
- ONVIF highly compatible
- Ergonomic design, single hand operation
- Real time operation prompt
- 12V/1A power output
- Dual 100M network port, capable of detecting packet lost, monitoring network flow

- TDR RJ45 Cable Test
- 4.0 inch all viewing angle display, 800X480 resolution, 16.7M color
- Swing keyboard input, QWERTY.
- Changeable Li-polymer battery
- Battery working time 5 hours
- Rubberised Protective Casing
- Dual LED torch
- Software upgrade online

WARRANTY
1 YEAR



WBXMLTEST

3 840:-

**Spare Battery
WBXMLTBAT**

268:-

Skärmar & tillbehör

4K UHD, full-HD & HD-skärmar

Väggfästen

Network switches

CAT5e & CAT6e installationskabel

Verktyg, tillbehör & hårdvara

Ring

010-130 24 00

Webshop

www.adiglobal.se

info.se@adiglobal.com

order.se@adiglobal.com

App

Sök: ADI SE



Sverige

Erbjudandena gäller för registrerade installatörs-/ÅF-kunder hos ADI Sverige. Alla priser är angivna exkl. moms, ev punktskatter och frakt. Gäller så långt lagret räcker.

Kvartal 1, 2022

ENDAST HOS
ADI
a resideo company